

## Refine Search

### Search Results -

Terms	Documents
L15 and ("comply condition")	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L16

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Monday, May 23, 2005    [Printable Copy](#)    [Create Case](#)

 Set Name Query  
 side by side

 Hit Count Set Name  
 result set

*DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR*

<u>L16</u>	L15 and ("comply condition")	0	<u>L16</u>
<u>L15</u>	L14 and ("deny access")	97	<u>L15</u>
<u>L14</u>	707/9.ccls.	1156	<u>L14</u>
<u>L13</u>	L12 and comply	2	<u>L13</u>
<u>L12</u>	L11 and L3	13	<u>L12</u>
<u>L11</u>	713/\$.ccls.	25124	<u>L11</u>
<u>L10</u>	L9 and comply	1	<u>L10</u>
<u>L9</u>	(L7 or L8) and L3	52	<u>L9</u>
<u>L8</u>	709/\$.ccls.	36410	<u>L8</u>
<u>L7</u>	707/\$.ccls.	26769	<u>L7</u>
<u>L6</u>	L5 and comply	0	<u>L6</u>
<u>L5</u>	L3 and (deny\$3 near access)	15	<u>L5</u>
<u>L4</u>	L3 and (comply\$3 same condition)	0	<u>L4</u>
<u>L3</u>	(L1 or L2) and (compar\$3 near request)	93	<u>L3</u>

<u>L2</u>	request\$3 same (access\$3 near (record or document))	2039	<u>L2</u>
<u>L1</u>	access\$3 near (record or document)	11347	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L5 and comply	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L6

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Monday, May 23, 2005    [Printable Copy](#)    [Create Case](#)

 Set Name Query  
 side by side

 Hit Count Set Name  
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L6</u>	L5 and comply	0	<u>L6</u>
<u>L5</u>	L3 and (deny\$3 near access)	15	<u>L5</u>
<u>L4</u>	L3 and (comply\$3 same condition)	0	<u>L4</u>
<u>L3</u>	(L1 or L2) and (compar\$3 near request)	93	<u>L3</u>
<u>L2</u>	request\$3 same (access\$3 near (record or document))	2039	<u>L2</u>
<u>L1</u>	access\$3 near (record or document)	11347	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L9 and comply	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L10

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Monday, May 23, 2005   [Printable Copy](#)   [Create Case](#)

**Set Name Query**  
 side by side

**Hit Count Set Name**  
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L10</u>	L9 and comply	1	<u>L10</u>
<u>L9</u>	(L7 or L8) and L3	52	<u>L9</u>
<u>L8</u>	709/\$.ccls.	36410	<u>L8</u>
<u>L7</u>	707/\$.ccls.	26769	<u>L7</u>
<u>L6</u>	L5 and comply	0	<u>L6</u>
<u>L5</u>	L3 and (deny\$3 near access)	15	<u>L5</u>
<u>L4</u>	L3 and (comply\$3 same condition)	0	<u>L4</u>
<u>L3</u>	(L1 or L2) and (compar\$3 near request)	93	<u>L3</u>
<u>L2</u>	request\$3 same (access\$3 near (record or document))	2039	<u>L2</u>
<u>L1</u>	access\$3 near (record or document)	11347	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Terms	Documents
L3 and (deny\$3 near access)	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Interrupt

### Search History

DATE: Monday, May 23, 2005   [Printable Copy](#)   [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L4</u>	L3 and (deny\$3 near access)	0	<u>L4</u>
<u>L3</u>	L2 and (comply\$3 same condition)	4	<u>L3</u>
<u>L2</u>	709/217-219.ccls.	6619	<u>L2</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L1</u>	5924074.pn.	1	<u>L1</u>

END OF SEARCH HISTORY



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"requesting accessing data" + "interconnected computer" + "a"

**SEARCH**

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used requesting accessing data interconnected computer accessing data comparing request comply conditions access denying access

Found 2 of 154,226

Sort results by

relevance ☒



[Save results to a Binder](#)

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Display results

expanded form ☒



[Search Tips](#)

☐ Open results in a new window

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

## 1 [Access Control Models and Mechanisms: The tees confidentiality model: an authorisation model for identities and roles](#)



Jim Longstaff, Mike Lockyer, John Nicholas

June 2003 **Proceedings of the eighth ACM symposium on Access control models and technologies**

Full text available: pdf(401.69 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a model of authorisation that is more powerful than Role Based Access Control (RBAC), and is suitable for complex web applications in addition to computer systems administration. It achieves its functionality by combining Identity Based Access Control (IBAC) and RBAC in novel ways. A particular feature of the model is a rigorous definition of override, for granting access to data and resources in exceptional circumstances. Despite its power, the model can be implemented by a single al ...

## 2 [Improving the granularity of access control for Windows 2000](#)



Michael M. Swift, Anne Hopkins, Peter Brundrett, Cliff Van Dyke, Praerit Garg, Shannon Chan, Mario Goertzel, Gregory Jensenworth

November 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 4

Full text available: pdf(447.78 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This article presents the mechanisms in Windows 2000 that enable fine-grained and centrally managed access control for both operating system components and applications. These features were added during the transition from Windows NT 4.0 to support the Active Directory, a new feature in Windows 2000, and to protect computers connected to the Internet. While the access control mechanisms in Windows NT are suitable for file systems and applications with simple requirements, they fall short of the ...

**Keywords:** Access control lists, Microsoft Windows 2000, Windows NT, active directory

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"requesting accessing medical data" + "interconnected comput



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used requesting accessing medical data interconnected computer accessing data comparing request comply conditions denying access

Found 2 of 154,226

Sort results by

relevance



[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Access Control Models and Mechanisms: The tees confidentiality model: an authorisation model for identities and roles](#)



Jim Longstaff, Mike Lockyer, John Nicholas

June 2003 **Proceedings of the eighth ACM symposium on Access control models and technologies**

Full text available: pdf(401.69 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a model of authorisation that is more powerful than Role Based Access Control (RBAC), and is suitable for complex web applications in addition to computer systems administration. It achieves its functionality by combining Identity Based Access Control (IBAC) and RBAC in novel ways. A particular feature of the model is a rigorous definition of override, for granting access to data and resources in exceptional circumstances. Despite its power, the model can be implemented by a single al ...

2 [Improving the granularity of access control for Windows 2000](#)



Michael M. Swift, Anne Hopkins, Peter Brundrett, Cliff Van Dyke, Praerit Garg, Shannon Chan, Mario Goertzel, Gregory Jensenworth

November 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 4

Full text available: pdf(447.78 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This article presents the mechanisms in Windows 2000 that enable fine-grained and centrally managed access control for both operating system components and applications. These features were added during the transition from Windows NT 4.0 to support the Active Directory, a new feature in Windows 2000, and to protect computers connected to the Internet. While the access control mechanisms in Windows NT are suitable for file systems and applications with simple requirements, they fall short of the ...

**Keywords:** Access control lists, Microsoft Windows 2000, Windows NT, active directory

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)



Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"requesting accessing data" + "interconnected computer" + "a"

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used **requesting accessing data interconnected computer accessing data comparing request comply conditions denying access**

Found 2 of 154,226

Sort results by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 2 of 2

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Access Control Models and Mechanisms: The tees confidentiality model: an authorisation model for identities and roles](#)



Jim Longstaff, Mike Lockyer, John Nicholas

June 2003 **Proceedings of the eighth ACM symposium on Access control models and technologies**

Full text available: pdf(401.69 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We present a model of authorisation that is more powerful than Role Based Access Control (RBAC), and is suitable for complex web applications in addition to computer systems administration. It achieves its functionality by combining Identity Based Access Control (IBAC) and RBAC in novel ways. A particular feature of the model is a rigorous definition of override, for granting access to data and resources in exceptional circumstances. Despite its power, the model can be implemented by a single al ...

2 [Improving the granularity of access control for Windows 2000](#)



Michael M. Swift, Anne Hopkins, Peter Brundrett, Cliff Van Dyke, Praerit Garg, Shannon Chan, Mario Goertzel, Gregory Jensenworth

November 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 4

Full text available: pdf(447.78 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This article presents the mechanisms in Windows 2000 that enable fine-grained and centrally managed access control for both operating system components and applications. These features were added during the transition from Windows NT 4.0 to support the Active Directory, a new feature in Windows 2000, and to protect computers connected to the Internet. While the access control mechanisms in Windows NT are suitable for file systems and applications with simple requirements, they fall short of the ...

**Keywords:** Access control lists, Microsoft Windows 2000, Windows NT, active directory

Results 1 - 2 of 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

  
RELEASE 2.0[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [All](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((compar\* &lt;near&gt; request) &lt;paragraph&gt; (comply &lt;near&gt; conditions) )&lt;in&gt;metad..."

Your search matched 0 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE

Indexed by  


  
RELEASE 2.0[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((request\* &lt;near&gt; access\*) &lt;paragraph&gt; (comply &lt;near&gt; conditions) )&lt;in&gt;meta..."

Your search matched 0 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

 e-mail[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE

Indexed by  
 Inspect<sup>®</sup>

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Air](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((request\* &lt;near&gt; access\*) &lt;paragraph&gt; (compar\* &lt;near&gt; request) &lt;paragraph&gt;..."

Your search matched 0 of 1164322 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Indexed by  
 Inspec[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE